

# tzplot: Basics

In-Sung Cho

2021/11/27

공주대학교 문서작성워크숍 2021


한국텍학회 · 한국텍사용자그룹 (<http://ktug.org>)

# Table of Contents

1	<code>tzplot</code> : Points, lines, circles, ect.	1
1.1	Dots	3
1.2	Lines	5
1.3	Circles	6
1.4	<code>\tzcdot</code> vs. <code>\tzdot</code>	7
1.5	Rectangles	8
2	Adding text	9
2.1	Dots: {label} nodes and [angles]	10
2.2	Lines: main nodes with {text} and [abbreviations]	12
2.3	Putting text	14
2.3.1	<code>\tznod</code>	14
2.3.2	<code>\tznodcircle</code> , <code>\tznodframe</code> , <code>\tznodeellipse</code> , and <code>\tznodedot</code>	15
3	Coordinates	16
3.1	A coordinate: <code>\tzcoor</code>	17
3.2	Multiple coordinates: <code>\tzcoors</code> : semicolon version	18
3.3	Coordinates at a quick glance: <code>\tzcoorsquick</code>	19
3.4	Node coordinates	20
4	Many dots	21
4.1	How many dots? : Semicolon versions	22
4.2	<code>\settzdotsize</code> and <code>\settzcdotradius</code>	23
5	Connected lines	24
5.1	<code>\tzlines</code>	25

5.2	\tzlines+	26
6	Polygons	27
6.1	\tzpolygon	28
6.2	\tzpolygon+	29
6.3	\tzpolygon*(+)	30
7	Filling area	31
7.1	\tzpath* and \tzpath	32
7.2	\tzpath**+	33
8	Curves	34
8.1	\tzbezier	35
8.2	\tzparabola	36
8.3	\tzto and \tzto+	37
8.4	\tztos and \tztos+	38
8.5	\tzplotcurve(*)	39
8.6	\tzfn	41
9	Arcs and wedges	42
9.1	Arcs	43
9.1.1	Arcs and elliptical arcs	43
9.1.2	\tzarcfrom and \tzarcsfrom	44
9.2	Wedges	45
10	Angles	46
10.1	Angle marks: \tzanglemark	47
10.2	Right angle marks: \tzrightanglemark	48
11	References	49

# 1 tzplot: Points, lines, circles, ect.




```
\usepackage{tzplot}
```

```
\documentclass{article}


\usepackage{tzplot} %% loads tikz, xparse, expl3

\begin{document}
\begin{tikzpicture}[scale=.8]
\tzhelplines(10,7)
\tzline(1,1)(9,5)
\tzdot*(1,1)
\tzdot(3,4)
\tzcircle(3,4)(2cm)
\tzpolygon(6,4)(4,1)(8,1);
\tzframe(7,0)(10,2)
\end{tikzpicture}
\end{document}
```




## 1.1 Dots

```
% \tzhelplines : 10 dots per 1cm
\begin{tikzpicture}
\tzhelplines[thick](4,2)
\end{tikzpicture}
```




```
% \tzcdot, \tzcdot* : small circles : radius
\begin{tikzpicture}
\tzhelplines(4,3)
\tzcdot(0,0)
\tzcdot*(1,1)(1.2pt) % default
\tzcdot*(2,2)(3pt)
\tzcdot(3,1)(4pt)
\end{tikzpicture}
```




```
\tzcdot(0,0)          % works like:
\draw      (0,0) circle (1.2pt);
\tzcdot*(2,2)(3pt) % works like:
\draw [fill] (2,2) circle (3pt);
```

```
% \tzedot, \tzedot* : small node circles : diameter
\begin{tikzpicture}
\tzhelplines(4,3)
\tzedot(0,0)
\tzedot*(1,1)(2.4pt)
\tzedot*(2,2)(6pt)
\tzedot(3,1)(8pt)
\end{tikzpicture}
```




```
\tzedot*(2,2)(6pt) % works like:
\draw (2,2) node [draw,circle,solid,thin,fill,inner sep=0pt,minimum size=6pt] {};
```

```
% \tzedot, \tzedot*
\begin{tikzpicture}
\tzhelplines(4,3)
\tzedot[red](0,0)
\tzedot*[blue](1,1)(2.4pt) % default
\tzedot*[fill=yellow](2,2)(6pt)
\tzedot[draw=blue,fill=green](3,1)(8pt)
\end{tikzpicture}
```




## 1.2 Lines

```
% \tzline
\begin{tikzpicture}
\tzhelplines(4,3)
\tzline(0,0)(3,0)
\tzline(1,1)(4,3)
\tzline(1,3)(4,0)
\end{tikzpicture}
```




```
% \tzline[<opt>]
\begin{tikzpicture}
\tzhelplines(4,3)
\tzline[->,thick,blue](0,0)(3,0)
\tzline[dashed](1,1)(4,3)
\tzline[line width=1mm,opacity=.5,green](1,3)(4,0)
\end{tikzpicture}
```



```
\tzline[thick,blue](0,0)(3,0) % works like:
\draw [thick,blue] (0,0) -- (3,0);
```


## 1.3 Circles

```
% \tzcircle : (radius)
\begin{tikzpicture}
\tzhelplines(4,3)
\tzdot*(1,1)      \tzcircle(1,1)(1cm)
\tzdot(3,2)        \tzcircle(3,2)(5mm)
\end{tikzpicture}
```




```
\tzcircle(1,1)(1cm) % works like:
\draw (1,1) circle (1cm);
```

```
% \tnodecircle : minimum size=<diameter>
\begin{tikzpicture}
\tzhelplines(4,3)
\tzdot*(1,1)
\tnodecircle[minimum size=2cm](1,1)
\tzdot(3,2)
\tnodecircle[minimum size=1cm](3,2)
\end{tikzpicture}
```




## 1.4 \tzcdot vs. \tzdot

```
% \tzdot vs. \tzcdot
\begin{tikzpicture}[yscale=.5]
\tzhelplines(4,3)
\tzcdot[red](0,0)
\tzdot*[blue](1,1)(2.4pt)
\tzdot*[fill=yellow](2,2)(6pt)
\tzdot[draw=blue,fill=green](3,1)(8pt)
\end{tikzpicture}
```



- \tzdot은 xscale과 yscale에 의존하지 않는다.
- tzplot 패키지에서는 \tzdot을 표준으로 삼는다.

```
% node circles vs. circles
\begin{tikzpicture}[xscale=.5]
\tzhelplines(4,3)
\tzdot*(1,1)
\tznodecircle[minimum size=2cm](1,1)
\tzcdot(3,2)
\tzcircle(3,2)(5mm)
\end{tikzpicture}
```




## 1.5 Rectangles

```
% \tzframe  
\begin{tikzpicture}  
\tzhelplines(4,2)  
\tzframe(0,1)(3,2)  
\end{tikzpicture}
```



```
\tzframe(0,1)(3,2) % works like:  
\draw (0,0) rectangle (3,2);
```

```
% \tzframe = \tzrectangle  
\begin{tikzpicture}  
\tzhelplines(4,3)  
\tzframe[dashed](0,1)(3,2)  
\tzrectangle[blue](2,3)(4,0)  
\end{tikzpicture}
```



## 2 Adding text


```
%% ... (0,0){label}[90]           % label after a coordinate  
  
 \tzdot(0,0){label}[45]           % [angles]  
  
%% ... (0,0){text}[a](1,1)        % text between coordinates  
%% ... (0,0)(1,1){text}[r]         % text at end  
  
 \tzline(0,0){text}[a](3,1) % [abbreviations]  
 \tzline(0,0)(3,1){my line}[r]  
 \tzline(0,0){text}[a](3,1){my line}[r]
```

## 2.1 Dots: {label} nodes and [angles]

```
\begin{tikzpicture}
\tzhelplines(4,1)
\tzdot*(1,1){A}[0] % angle=0 or right
\end{tikzpicture}
```



```
\begin{tikzpicture}
\tzhelplines(4,3)
\tzdot(1,1){A} % default: [above] or [90]
\tzcdot(2,2){B}[below right] % [-45] degree
\tzdot(3,3){C}[right] % [0] degree
\tzdot(4,2){D}[[draw]-45] % [[opt]angle]
\end{tikzpicture}
```




```
\tzcdot(2,2){A}[below right] % works like:
\draw (2,2) circle (1.2pt) node [label={below right:A}] {};
% or
\draw (2,2) circle (1.2pt) node [label={-45:A}] {};
```

```

\begin{tikzpicture}
\tzhelplines(4,3)
\tzcdot*[red](1,1){A} % default: above
\tzcdot*[green](2,2){B}{[[draw,blue]-45]}(6pt)
\tzdot*(3,3){C}{[blue,scale=2]right}
\tzdot(4,2){D}{[[draw,red]-45]}(12pt) % [angle](radius)
\end{tikzpicture}

```



circle vs. node circle:

- **circle** 중심의 주위에 표시되는 label의 위치는 circle 크기와 관계없이 고정되어 있다.
- **node circle**의 경우, 테두리에 label이 표시되므로, 크기에 맞춰 이동한다.


```

\tzcdot(4,2){A}{[[draw,red]-45]} % works like:
\draw (4,2) circle (1.2pt) node [label={[draw,red]-45:A}] {};
% or
\draw (4,2) circle (1.2pt) node [label={[draw,red]below right:A}] {};


```

## 2.2 Lines: main nodes with {text} and [abbreviations]

```
% abbreviations: but not by angle
\begin{tikzpicture}
\tzhelplines(4,2)
\tzline(1,1){text}(4,1)    % default: midway, above
\tzline(0,0){text}[c](3,0) % centered (TikZ default)
\end{tikzpicture}
```




```
% abbreviations: but not by angle
\begin{tikzpicture}
\tzhelplines(4,2)
\tzline(0,1)(3,1){line A}[right]
\tzline(0,0){text}[red](3,0){line B}[br,blue]
\end{tikzpicture}
```




```
\tzline(0,0){text}[red](3,0){line B}[br,blue] % works like:
\draw (0,0) -- node [above,red] {text} (3,0) node [below right,blue] {line B};
```

```
% at start, near start, midway, very near end, etc.
\begin{tikzpicture}
\tzhelplines(4,2)
\tzline(0,1){text}[very near end] (3,1)
\tzline(0,0){text}[near start](3,0){line B}[br,draw]
\end{tikzpicture}
```




```
% sloped
\begin{tikzpicture}
\tzhelplines(4,3)
\tzline[draw=red,|<-|](0,0){text}[c,green](2,2)
\tzline(1,3){text}[at start,l,draw,ellipse](4,3)
\tzline[blue](1,2){text}[sloped](4,0){line C}[b,red]
\end{tikzpicture}
```




## 2.3 Putting text

### 2.3.1 \tznnode

```
% \tznnode  
\begin{tikzpicture}  
\tzhelplines*(4,2)  
\tznnode(2,1){text}  
\end{tikzpicture}
```




```
\begin{tikzpicture}  
\tzhelplines(4,2)  
\tznnode(2,1){text}[draw]  
\tznode(1,0){text}[ar,blue]  
\tznode(3,2){text one\\text two}[r,align=left]  
\end{tikzpicture}
```



```
\tznode(1,0){text}[ar,blue] % works like:  
\path (1,0) node [above right,blue] {text};
```


### 2.3.2 \tznodecircle, \tznodeframe, \tznodeellipse, and \tznodedot

```
\begin{tikzpicture}
\tzhelplines(4,2)
\tznodecircle(2,1){text}
\tznodeframe(1,0){text}[ar,blue]
\tznodeframe(3,2){text one\\text two}[r,align=left]
\tznodeellipse(4,0){text}
\end{tikzpicture}
```



```
\tznodeframe(1,0){text}[ar,blue] % works like
\path (1,0) node [draw,rectangle,above right,blue] {text};
```

```
% * versions and aliases
\begin{tikzpicture}
\tzhelplines(4,2)
\tznodedot*(0,0){A} % similar to \tzdot*
\tznodecircle*[red,densely dotted](2,1){text}
\tznoderectangle*[yellow](1,0){text}[ar,text=blue]
\tznodeframe*(3,2){text one\\text two}[r,align=left]
\tznodeoval(4,0){text}[draw=red,thick]
\end{tikzpicture}
```



### 3 Coordinates


```
\tzcoor(0,0)(A)
\tzcoors(0,0)(A)(1,0)(B)(2,1)(C) ; % semicolon version

\tzcoors      (0,0)(Amy) {Amy}[0]
                (1,0)(Ben) {Ben}[45]
                (2,1)(Coy) {Coy}[-90] ;
\tzcoorsquick(0,0)(Amy)
                (1,0)(Ben)
                (2,1)(Coy) ;

\tznode(0,0)(A){text}[ar]           % node coordinate
```


### 3.1 A coordinate: \tzcoor

```
\begin{tikzpicture}
% \tzcoor
\tzhelplines(4,2)
\tzcoor(2,1)(A) % invisible
\tzdot*(A)
\end{tikzpicture}
```




```
\tzcoor(2,1)(A) % works like:
\path (2,1) coordinate (A);
```

```
\begin{tikzpicture}
% \tzcoor, \tzcoor*
\tzhelplines(4,3)
\tzcoor(2,1)(A)
\tzdot*(A)
\tzcoor*(1,0)(B){B}[45]
\tzcoor*(3,3)(C){C}[0,blue](5pt)
\end{tikzpicture}
```




### 3.2 Multiple coordinates: \tzcoors: semicolon version


```
\begin{tikzpicture}
% \tzcoors : semicolon version
\tzhelplines(4,2)
\tzcoors(2,1)(A) (1,0)(B) (4,2)(C); % invisible
\tzdots*(A)(B)(C); % semicolon version
\end{tikzpicture}
```



```
\begin{tikzpicture}
% \tzcoors
\tzhelplines(4,2)
\tzcoors(2,1)(A){A} (1,0)(B){B}[0] (4,2)(C){C}[45];
\end{tikzpicture}
```



```
\begin{tikzpicture}
% \tzcoors*
\tzhelplines(4,2)
\tzcoors*(2,1)(A){A}(1,0)(B){B}[0](4,2)(C){C}[45];
\end{tikzpicture}
```




### 3.3 Coordinates at a quick glance: \tzcoorsquick

```
\begin{tikzpicture}
% \tzcoorsquick
\tzhelplines(4,2)
\tzcoorsquick(2,1)(A)
    (1,0)(Bryn)
    (4,2)(Cleo);
\end{tikzpicture}
```




```
\begin{tikzpicture}
% \tzcoorsquick*
\tzhelplines(4,2)
\tzcoorsquick*(2,1)(A)
    (1,0)(Bryn){} % no label
    (4,2)(Cleo){$C_3$}[45];
\end{tikzpicture}
```




### 3.4 Node coordinates

```
\begin{tikzpicture}
% \tznnode(0,0)(A) : node coordinate
\tzhelplines(4,2)
\tznnode(0,0)(A){견우}
\tznnode(3,2)(B){직녀}[draw,ellipse]
\tzline(A)(B.center) %
\end{tikzpicture}
```



```
\begin{tikzpicture}
% node coordinates
\tzhelplines(4,3)
\tznnode(0,0)(A){견우}[draw,fill=blue!15]
\tznnode(3,2)(B){직녀}[draw,ellipse,fill=red!15]
\tzline(A)(B.180) % (B.west)
\tzcoorsquick(0,3)(Adam)(4,0)(Eve);
\tzline(Adam)(Eve)
\end{tikzpicture}
```



## 4 Many dots

```
\tzcdots(0,0)(1,0)(2,1) ;
\tzcdots*(0,0)(1,0)(2,1) ;


\tzdots(0,0)(1,0)(2,1) ;
\tzdots*(0,0)(1,0)(2,1) ;

\tzdots*(0,0){A}
    (1,0){B}[0]
    (2,1){C}[45] ;      %% semicolon version
```


How many dots?

## 4.1 How many dots? : Semicolon versions

```
\begin{tikzpicture}
% \tzcdots
\tzhelplines(4,2)
\tzcdots(2,1)(1,0)(4,2);
\end{tikzpicture}
```




```
\begin{tikzpicture}
% \tzcdots*
\tzhelplines(4,2)
\tzcdots*(2,1){A}(1,0){B}[0](4,2){C}[45];(5pt)
\end{tikzpicture}
```




- 세미콜론(;)은 좌표 나열이 끝났다는 것을 의미한다.
- DO NOT FORGET ;.

## 4.2 \settzdotsize and \setzcdochradius

```
% \settzdotsize{<diameter>} : node dots
\begin{tikzpicture}
\tzhelplines(4,3)
\tzdots*(0,3)(1,3)(2,3)(3,3);
\settzdotsize{4.8pt} %% 
\tzdots*(1,2)(2,2)(3,2)(4,2);
\tzdots(0,1)(1,1)(2,1)(3,1);
\tzdots*(0,1)(1,1)(2,1)(3,1);(2.4pt)
\tzdot(1,0) \tzdot*(2,0) \tzdot(4,0)(2.4pt)
\end{tikzpicture}
```




```
% \setzcdochradius{<radius>} : circle dots
\begin{tikzpicture}
\tzhelplines(4,3)
\tzcdots*(0,3)(1,3)(2,3)(3,3);
\setzcdochradius{2.4pt} %% 
\tzcdots*(1,2)(2,2)(3,2)(4,2);
\tzcdots(0,1)(1,1)(2,1)(3,1);
\tzcdots*(0,1)(1,1)(2,1)(3,1);(1.2pt)
\tzcdot(1,0) \tzcdot*(2,0) \tzcdot(4,0)(1.2pt)
\end{tikzpicture}
```




## 5 Connected lines

```
\tzlines(0,1)(1,0)(2,2) ;  
\tzlines(0,1){line A}  
    (1,0)  
    (2,2) ;
```




```
\tzlines+(0,1)(1,0)(2,2) ;  
\tzlines+(0,1){line A}  
    (1,0){line B}[sloped,a]  
    (2,2){my line}[r] ;
```




## 5.1 \tzlines

```
% \tzlines : semicolon version
\begin{tikzpicture}
\tzhelplines(4,2)
\tzlines(0,1)
    (1,0)
    (2,2)
    (4,1);
\end{tikzpicture}
```




```
% \tzlines*
\begin{tikzpicture}
\tzhelplines(4,2)
\tzlines(0,1){Go!}
    (1,0){Up}[a,sloped]
    (2,2){Down}[a,sloped,red]
    (4,1){End!}[b,blue];
\end{tikzpicture}
```




## 5.2 \tzlines+

```
% \tzlines+ : relative coordinates
\begin{tikzpicture}
\tzhelplines(4,3)
\tzlines+(0,1)
    (-30:2cm)
    (2,2)
    (180:2cm);
\end{tikzpicture}
```



```
% \tzlines+
\begin{tikzpicture}
\tzhelplines(4,2)
\tzlines+(0,1){Start}[a,at start]
    (-30:2cm){running}[b,sloped]
    (2,2)
    (180:2cm){End!}[l,red];
\end{tikzpicture}
```



## 6 Polygons


```
%% closed paths
%% <--cycle> version of \tzlines

\tzpolygon(0,1)(2,0)(3,3) ;
\tzpolygon+(0,1)(-30:2cm)(3,3) ;


\tzpolygon*(0,1)(2,0)(3,3) ;
\tzpolygon**+[blue](0,1)(-30:2cm)(3,3) ;
```

## 6.1 \tzpolygon

```
% \tzpolygon : semicolon version
\begin{tikzpicture}
\tzhelplines(4,2)
\tzpolygon(0,1)
(1,0)
(2,2)
(4,1);
\end{tikzpicture}
```




```
% \tzpolygon
\begin{tikzpicture}[auto,sloped]
\tzhelplines(4,2)
\tzpolygon(0,1){side A}[b]
(1,0){side B}[b]
(4,1){side C}
(2,2){side D}
(0,1);
\end{tikzpicture}
```




## 6.2 \tzpolygon+

```
% \tzpolygon+
\begin{tikzpicture}[auto,sloped]
\tzhelplines(4,2)
\tzpolygon+(0,1){side A}[b]
(1,-1){side B}[b]
(3,1){side C}
(-2,1){side D}
(-2,-1);
\end{tikzpicture}
```




```
% \tzpolygon+
\begin{tikzpicture}
\tzhelplines(4,2)
\tzpolygon+(0,1)
(-30:2cm)
(2,2)
(180:2cm);
\end{tikzpicture}
```




## 6.3 \tzpolygon\*(+)


```
% \tzpolygon* : [black!50,fill opacity=.3] by default
\begin{tikzpicture}
\tzhelplines(4,2)
\tzpolygon*(0,1)
    (1,0)
    (2,2)
    (4,1);
\end{tikzpicture}
```



```
% \tzpolygon*+
\begin{tikzpicture}
\tzhelplines(4,2)
\tzpolygon*+[fill=green](0,1)
    (-30:2cm)
    (2,2)
    (180:2cm);
\end{tikzpicture}
```




## 7 Filling area




## 7.1 \tzpath\* and \tzpath

```
% \tzpath* : [black!50,fill opacity=.3] by default
\begin{tikzpicture}
\tzhelplines(4,2)
\tzpath[fill=blue](0,0)(.5,0)(1,1.5);
\tzpath*(0,1)(1,0)(2,2)(4,1);           % semicolon
→ version
\tzpath[fill](3,2)(4,2)(2.5,0);
\end{tikzpicture}
```




```
% \tzpath(*)
\begin{tikzpicture}[scale=.5]
\tzhelplines(8,7)
\tzlines(0,0)(5,5)(5,0);
\tzlines(0,1)(6,1)(2,7)(8,3);
\tzpath*[blue](1,1)(4,4)(5,2.5)(5,1);
\tzpath[fill=green](0,0)(0,1)(1,1);
\tzpath[pattern=north east lines](5,1)(5,2.5)(6,1);
\tzpath*[red](2,7)(5,2.5)(5,5);
\tzpath[pattern=horizontal lines](2,7)(4,4)(5,5);
\end{tikzpicture}
```




## 7.2 \tzpath\*\*+

```
% \tzpath**+
\begin{tikzpicture}
\tzhelplines(4,3)
\tzpath[pattern=crosshatch](1,1)(3,3)(4,0)(2,0);
\tzpath**+[draw=blue,fill=red]
    (0,1)(-30:2cm)(2,2)(180:2cm);
\end{tikzpicture}
```



```
% \tzpath : does MUCH MORE! (See manual)
%           [how to connect]
\begin{tikzpicture}
\tzhelplines(4,3)
\tzpath**+[blue]
    <.5,1> % shift
    (0,0)[to[bend right]]
    (1,1)
    (1,0)[to[out=-135,in=45]]
    (1,-1) ; <--cycle>
\end{tikzpicture}
```



## 8 Curves

```
\tzbezier(0,0)(0,1)(4,3)
\tzbezier(0,0)(0,1)(3,0)(4,3)

\tzparabola(0,0)(3,3)
\tzparabola(0,0)(2,2)(3,3)


\tzto(0,0)[bend right](1,0)
\tztos(0,0)[bend right](1,0)[bend left=10](2,1) ;

\tzplotcurve(0,0)(1,2)(3,3) ; % semicolon version


\tzfn\Fx[0:4] %% predefined fn \def\Fx{(\x-2)^2-1}
```

## 8.1 \tzbezier

```
% \tzbezier : 3 or 4 coordinates
\begin{tikzpicture}
\tzhelplines(4,3)
\tzbezier[thick](0,0)(3,1)(4,3) % 1 control point
\tzbezier(0,2)(1,3)(2,0)(4,1)   % 2 control points
\end{tikzpicture}
```




```
% \tzbezier: [tzshowcontrols]
\begin{tikzpicture}
\tzhelplines(4,3)
\tzbezier[thick,tzshowcontrols={red,dashed,thin}]
  (0,0)(3,1)(4,3)
  {curve A}[a]
\tzbezier[blue,tzshowcontrols]
  (0,2)(1,3)(2,0)(4,1)
  {curve B}[midway,a,sloped,scale=.7,text=red]
\end{tikzpicture}
```




## 8.2 \tzparabola

```
% \tzparabola : 2 or 3 coordinates
\begin{tikzpicture}
\tzhelplines(4,3)
\tzparabola(0,0)(1,2)
\tzparabola(2,3)(3,2)(4,0) % bend at (3,2)
\end{tikzpicture}
```




```
% \tzparabola : 2 or 3 coordinates
\begin{tikzpicture}
\tzhelplines(4,3)
\tzparabola[thick,blue](0,2)(1,1)(3,3){AC curve}[r]
\tzparabola(0,1)(.7,.4)(3,2.7){AVC curve}[r]
\tzparabola(2,0)(3,1)(4,0)
\tzparabola[fill](2.7,0)(3,.7)(3.3,0)
\end{tikzpicture}
```




## 8.3 \tzto and \tzto+

```
% \tzto  
\begin{tikzpicture}  
\tzhelplines(4,3)  
\tzto(0,0)(3,1){line}[r]  
\tzto[bend left](0,1)(3,2){curve}[r]  
\tzto[out=45,in=-120](0,2)(4,.5)  
\end{tikzpicture}
```




```
% \tzto+ : relative coordinate  
\begin{tikzpicture}  
\tzhelplines(4,3)  
\tzto[bend right=15,dashed](0,0){curve}[c](3,1)  
\tzto+[bend left,blue,thick](0,1)(3,1){curve}[r]  
\tzto+[out=45,in=-120]  
(0,2)  
{out=45,in=-120}  
[a,red,sloped,scale=.6,font=\ttfamily]  
(4,-1.5)  
\end{tikzpicture}
```




## 8.4 \tztos and \tztos+

```
% \tztos : semicolon version
\begin{tikzpicture}
\tzhelplines(4,3)
\tztos[dotted](0,0)(1,1)(3,0)(4,2); % line
\tztos[bend right,blue](0,1)(1,2)(3,1)(4,3){curve}[a];
\tztos[red,thick]
  (0,2)[bend left]  (2,3)[bend right]
  (3,2)[bend left]  (2,0)[bend left]
  (0,1.5)           (4,.5) ;
\end{tikzpicture}
```




```
% \tztos+ : relative coordinates
\begin{tikzpicture}
\tzhelplines(4,3)
\tztos+[red,thick]
  (0,2)[bend left]{1st}[blue] (2,1)[bend right]{B}[ar]
  (1,-1)[bend left]           (-1,-2)[bend left]
  (-2,1.5){final}[a,sloped]   (4,-1){End}[b,blue];
\end{tikzpicture}
```




## 8.5 \tzplotcurve(\*)

```
% \tzplotcurve(*) : [mark=*,mark size=2pt] by default
\begin{tikzpicture}
\tzhelplines(4,3)
\tzplotcurve(0,0)(1,1)(3,0)(4,2); % [tension=1]
\tzplotcurve*(0,1)(1,2)(3,1)(4,3); % [mark=*]
\end{tikzpicture}
```




```
\tzplotcurve*(0,1)(1,2)(3,1)(4,3) % works like:
\draw [tension=1,mark=*] plot [smooth] coordinates {(0,1)(1,2)(3,1)(4,3)};
\end{tikzpicture}
```


```
% mark size : radius
\begin{tikzpicture}
\tzhelplines(4,2)
\tzplotcurve*(0,0)(1,1)(3,0)(4,2);(1.2pt) % radius
\end{tikzpicture}
```



```
% \tzplotcurve: [tension=1] by default
\begin{tikzpicture}
\tzhelplines*(4,3)
\tzcoor(.5,.5)(A)
\tzplotcurve[blue]{2}(1,3)(A)(4,0);
\tzplotcurve[thick](1,3)(A)(4,0); % default: tension=1
\tzplotcurve[red]{.55}(1,3)(A)(4,0); % TikZ default
\tzplotcurve[dashed]{0}(1,3)(A)(4,0);
\end{tikzpicture}
```




```
% \tzplotcurve : {<label>}[<angle>] for coordinates
\begin{tikzpicture}
\tzhelplines(4,3)
\tzplotcurve*[mark=ball]
(0,0){A}[0]
(1,1){B}
(3,0){C}
(4,2){End!}[[red]180] ;
\tzlines(0,3){line A}[a](1,3){B}(2,2)(4,3){End}[a];
\end{tikzpicture}
```



## 8.6 \tzfn

```
% \tzfn : plots points (x,f(x))
\begin{tikzpicture}[scale=.5,font=\scriptsize]
\tzhelplines*(8,5)
\tzfn[-.25*(\x-2)^2+5][0:6]
\tzfn[blue]{sin(\x r)+2}[0:2*pi]{\$sin x+2\$}[r]
\end{tikzpicture}
```



## 9 Arcs and wedges

```
\tzarc(1,1)(30:60:1cm)
\tzarc'(1,1)(30:60:1cm)


\tzwedge(1,1)(30:60:1cm)
\tzwedge'(1,1)(30:60:1cm)

\tzarcfrom(1,1)(30:60:1cm)
\tzarcsfrom(1,1)
(30:60:1cm)
(180:120:2cm) ;
```


## 9.1 Arcs

### 9.1.1 Arcs and elliptical arcs

```
\begin{tikzpicture}
\thelplines(4,3)
\tzarc(0,0)(-30:45:2)
\tzline[dotted](0,0)(-30:2.5)
\tzline[dotted](0,0)(45:2.5)
\tzcoor*(3,1)(A){A}[-90]
\tzarc[ultra thick,red](A)(45:135:.2)
\tzarc[ultra thick,red](A)(45:135:.3)
\tzarc[ultra thick,red](A)(45:135:.4)
\end{tikzpicture}
```




```
\begin{tikzpicture}
\thelplines(4,3)
\tzdot*[blue](2,1)
\tzcircle[dotted](2,1)(2cm and 1cm)
\tzarc[thick,blue](2,1)(-90:180:2cm and 1cm)
\tzcoor*[red](1,1.5)(B)
\tzcircle[dotted](B)(.5cm and 1cm)
\tzarc'[red,fill,fill opacity=.3](B)(120:360:.5 and 1)
\end{tikzpicture}
```




### 9.1.2 \tzarcfrom and \tzarcsfrom

```
% \tzarcfrom : works as in TikZ
% \tzarcsfrom : semicolon version
\begin{tikzpicture}
\tzdots*(0,0)(-34-180:2)(-34:2);
\tzarcfrom[>,dotted](0,0)(-34:-34-180:1){1}[midway] %
\tzarcsfrom[>,red,fill=yellow] (-34-180:2)
(-34+180:-34:2){2}[very near start]
(-34:-34+180:1){3}[very near end] ; <--cycle>
\end{tikzpicture}
```




```
\definecolor{flagred}{RGB}{205,48,57}
\definecolor{flagblue}{RGB}{17,73,156}
\begin{tikzpicture}
\edef\x{atan(2/3)}
\tzarcsfrom[draw=none,fill=flagred](0,0)
(-\x:-\x-180:1)(-\x+180:-\x:2)
(-\x:-\x+180:1); <-- cycle>
\tzarcsfrom[draw=none,fill=flagblue](0,0)
(180-\x:-\x:1)(-\x:-\x-180:2)
(-\x+180:-\x+360:1) ; <-- cycle>
\end{tikzpicture}
```




## 9.2 Wedges

```
% \tzwedge, \tzwedge*
\begin{tikzpicture}
\tzhelplines(4,3)
\tzcircle[dotted](1,1)(1cm)
\tzwedge(1,1)(45:90:1cm)
\tzwedge*(3,2)(-90:-60:1.5cm)
\end{tikzpicture}
```



```
% \tzarc', \tzwedge' : swap versions
\begin{tikzpicture}
\tzhelplines(4,3)
\tzcircle[dotted](1,1)(1cm)
\tzwedge(1,1)(45:90:1cm)
\tzwedge*[thick,blue](1,1)(45:90:.6cm) % swap
\tzarc[blue,thick](1,1)(45:90:1.2cm)
\tzarc'[red,thick](1,1)(45:90:.8cm)      % swap
\tzwedge*[thick,blue,fill=red](3,2)(-90:-60:1.5cm)
\end{tikzpicture}
```



# 10 Angles

```
\tzanglemark(B)(A)(C){$\\theta_1$}
```


```
\tzanglemark'(B)(A)(C)
```

```
\tzanglemark*(C)(A)(B)
```

```
\tzanglemark*' (C)(A)(B)
```


```
\tzrightanglemark(A)(B)(C)
```

```
\tzrightanglemark*(A)(B)(C)
```




## 10.1 Angle marks: \tzanglemark

```
% \tzanglemark, \tzanglemark*
\begin{tikzpicture}[font=\scriptsize]
\tzhelplines(4,3)
\tzcoors(1,1)(A){A}[180](3,3)(B){B}[45]
(3,0)(C){C}[-90](1,3)(D){D}[135];
\tzlines(B)(A)(C)(D);
\tzanglemark'(B)(A)(C){$\angle A$}[pos=1.7] % swap
\tzanglemark(A)(C)(D){$\theta$}
\end{tikzpicture}
```




```
% \tzanglemark*()
\begin{tikzpicture}[font=\scriptsize]
\tzhelplines(4,3)
\tzcoors(0,1)(A){A}[180](3,3)(B){B}[45]
(2,0)(C){C}[-90];
\tzpolygon(A)(B)(C);
\tzanglemark'(C)(A)(B){$\angle A$}[pos=1.7] % swap
\tzanglemark*[red](A)(B)(C){$\angle B$}[xshift=-1mm]
\tzanglemark(A)(C)(B){$\angle C$}(11pt) % radius=11pt
\tzanglemark(A)(C)(B)
\end{tikzpicture}
```




## 10.2 Right angle marks: \tzrightanglemark

```
\begin{tikzpicture}[font=\scriptsize]
\tzhelplines(4,3)
\tzcoors(1,0)(A){A}[180](3,3)(B){B}[45]
(0,3)(C){C}[-90](3,1)(D);
\tzline"AB"(A)(B)
\tzlines"CD"(C)(D)([turn]0:1cm){D}[r];
\tzXpoint*(AB){CD}(K){K}[90] % intersection
\tzrightanglemark(A)(K)(C){90\textdegree}
\end{tikzpicture}
```



```
\begin{tikzpicture}[font=\scriptsize]
\tzhelplines(4,3)
\tzcoor(1,0)(B){B}[-90]
\tzcoors{($B)+(115:2$)}(A){A}[135]
{($B)+(25:3$)}(C){C}[0];
\tzpolygon(A)(B)(C);
\tzanglemark[double](B)(A)(C){$\theta_1$} % double
\tzanglemark(B)(C)(A){$\theta_2$}
\tzanglemark*[blue](B)(C)(A)
\tzrightanglemark(A)(B)(C){90\textdegree}[pos=1.7]
\tzrightanglemark*[red](A)(B)(C)
\end{tikzpicture}
```



# 11 References

- The TikZ and PGF Package: Manual for version 3.1.9a  
(<https://github.com/pgf-tikz/pgf>).
- `tzplot.sty`: Plot Graphs with *TikZ* Abbreviations, version 1.0.1  
(<https://www.ctan.org/pkg/tzplot>).
- 경제학자를 위한 *TikZ*  
(<http://wiki.ktug.org/wiki/wiki.php/LaTeXWorkshop/2017>).
- 그림과 함수 플로팅  
(<http://wiki.ktug.org/wiki/wiki.php/LaTeXWorkshop/2018>).
- *tikz* coordinates: memoir  
(<http://wiki.ktug.org/wiki/wiki.php/LaTeXWorkshop/2019>).